

BOLAND *Supply*

Chemical Stocking Guide



TRANE®



***Let us be the better alternative
to your same old supplier!***

Chemical Stocking Guide

BOLAND
Supply

Condenser Coil Cleaners

Nu-Calgon

Vendor #	Description	Size
4291-08	Nu-Brite Condenser Coil Cleaner	1 gal.
4190-08	Cal-Green Aluminum Coil Cleaner	1 gal.

SF
Sani-C-N-D

Item #	Description	Size
CEV025501	Enviro- Coil Cleaner	1 gal.
CND026101	Nu-Clear Coil Cleaner	1 gal.

DiversiTech

Item #	Description	Size
TRIPLE-D	Universal Coil Cleaner	1 gal.
PRO-BLUE	Foaming Alkaline Coil Cleaner	1 gal.
PRO-BROWN	Ultra-High Foaming Coil Cleaner	1 gal.
PRO-YELLOW	Non-Toxic Coil Cleaner & Brightener	1 gal.

Nu-Brite foams, brightens, and is an equally effective yet safer alternative to HF acid-based products.

Cal-Green is an all natural environmentally friendly condenser coil cleaner. This low-foaming, non-toxic cleaner is outstanding for removing dirt and grime which hinders heat transfer.

Enviro-Coil serves a dual purpose evaporator and condenser cleaner that will not etch aluminum when rinsed thoroughly.

Nu-Clear is a powerful expanding foam cleaner for condensers. Fights dirt grime, grease and penetrates deep for impacted cleanings. Should be rinsed thoroughly.

Triple-D™ is a Universal Cleaner for use on condenser and evap coils

Pro-Blue™ is a heavy-foaming, alkaline-based coil cleaner

Pro-Brown™ is an ultra-high foaming, alkaline-based coil cleaner

Pro-Yellow™ is non-toxic foaming cleaner and brightener



Evaporator Coil Cleaners

Nu-Calgon

Vendor #	Description	Size
4168-08	Evap Power No-Rinse Cleaner	1 gal.
4171-75	Evap Foam No-Rinse Aerosol	18 oz.
4166-08	Evap-Fresh Cleaner & Disinfectant	1 gal.
4127-75	Blackhawk Aerosol Foam Cleaner	18 oz.
4186-24	Green Clean All Purpose Cleaner	1 qt.

SF
Sani-C-N-D

Item #	Description	Size
CEV025501	Enviro- Coil Cleaner	1 gal.
EVPO27101	No-Rinse Coil Cleaner	1 gal.

DiversiTech

Item #	Description	Size
TRIPLE-D	Universal Coil Cleaner	1 gal.
PRO-GREEN	Foaming Alkaline Coil Cleaner	1 gal.

Evap Pow'r - No-rinse alkaline

Evap Foam - Foaming, no-rinse aerosol

Evap Fresh - Non-abrasive, one-step cleaner & disinfectant

Blackhawk - Expanding foam, non-fragrance aerosol

Green Clean - Environmentally friendly all purpose cleaner

Enviro-Coil serves a dual purpose evaporator and condenser cleaner that will not etch aluminum when rinsed thoroughly.

Trane's Self-Rinsing Evaporator Coil Cleaner is odorless, non-toxic, deodorizes, and doesn't etch or react with aluminum.

Triple-D™ is a Universal Cleaner for use on condenser and evap coils

Pro-Green™ is a no rinse, mild alkaline coil cleaner that can be used on air cooled condensers, evaporators, electronic and permanent filters, fan blades, grilles, mini-split and microchannel applications. Pro-Green cleans deposits on coils and rids condensate pans of slime.



IAQ Chemical Solutions

DiversiTech

Item #	Description	Size
SANI-CND	Disinfectant / Fungicide	1 gal.

Bio-Cide

Item #	Description	Size
CHM00270	Un-Scented EnviroCON	1 gal.
CHM00269	Un-Scented EnviroCON	32 oz.
CHM00268	Scented EnviroCON	1 gal.
CHM00267	Scented EnviroCON	32 oz.
CHM00265	Oxine Fungicide - Concentrate	3.25 oz.

Sani C-N-D is an EPA registered disinfectant, fungicide, mildewstat and viricide. It is ready-to-use and assures consistent, effective results. Sani C-N-D destroys "dirty sock," mildew and other malodors.

EnviroCON® is highly effective in eliminating odor-causing microorganisms as well as those associated with mold, mildew and bacterial growth. Chlorine dioxide is a powerful antimicrobial compound effective against a broad range of both gram-positive and gram-negative organisms as well as yeasts and molds.

Oxine Low Toxicity Duct Fungicide is sprayed into a duct using the a fogger. Kills any residual mold, bacteria, mildew, viruses, and fungi. Recommended for low toxicity and safety, does not leave an active chemical residue.



Condensate Management

SF
Sani-C-N-D

Item #	Application	Size	Qty.
DTR2.5-10-R	1 to 2.5 Tons	10 pk.	
DTR5-6-R	3 to 5 Tons	6 pk.	
DTR10-2-R	7 to 10 Tons	Single	
DTR25-1-E	20 Tons	Single	
DTR50-1-E	25 to 50 Tons	Single	

Nu-Calgon

Item #	Vendor #	Description	Size
CHM00837	4165-24	Nu-Calgon Drain Solve	1 gal.
CHM00818	4165-08	Nu-Calgon Drain Solve	15 oz.

RECTORSEAL

Item #	Vendor #	Description	Size
NL1	97685	Nu Line Drain Treatment	8 oz.
NL2	97690	Nu Line Drain Treatment	32 oz.

DiversiTech

Item #	Description	Application	Size
PROTREAT-200	Economy Pan Treatment	3 Tabs per 3 Tons	200 pk.
FLOW-PLUS-25	Flow-Plus Mini Condensate Tabs	1/2 to 3 Tons	25 Count Tub
FLOW-PLUS-200	Flow-Plus Mini Condensate Tabs	1/2 to 3 Tons	200 Count Jar
FLOW-PLUS-10	Flow-Plus Condensate Tub	5 to 20 Tons	10 oz. Tub

SF™ pan treatments use state-of-the-art, water-activated, time-released polymer technology and may be used safely in air conditioner and refrigerator drain pans, dehumidifier water tanks or any other non-potable water retention area. With the effective use of drain pan treatments, condensate water will be sanitized, discouraging the growth of micro-organisms and keeping drain pans clean and free flowing.

Drain Solve is an alkaline-based drain opener which removes grease, hair, vegetable and other organic matter. It is non-fuming and it will clean and clear drains quickly. Simply pour it down the drain and let it work without fear of noxious fumes or reactions that may squirt corrosive chemicals into face and eyes.

Helps prevent A/C drain line clogs and water leaks by removing slime buildup and keeping drain lines open. Use it every three months to help prevent water damage and mold growth from clogged A/C drain lines.

The Flow Plus™ product is a preventative and long lasting pan treatment. It time releases a chemical formula that minimizes the accumulation of slime and environmental debris. It is completely soluble. It does not leave a carrier product (mesh, bag, etc.) to be clogged in the condensate drain line.



Refrigerant Leak Detection Chemicals

SPECTROLINE®

Item #	Kits & Accessories
EZ-100/ECS	EZ-Ject™ Universal/POE Dye Injection Kit
OPK-40EZ/E	Complete EZ-JECT Kit w/ Injector, Dye, Glasses, & Light
OPX-400CS	Violet Light Leak Detection Flashlight & Glasses
BV-50	Bleed Valve for GLO-STICK Capsules

EZ-Ject™ cartridges are versatile, and multi-dose. The injector easily overcomes system pressure. Add fluorescent dye with system off or running. Works in all systems, including high-pressure R-410a.



Item #	Cartridges & Capsules	Treats
EZ-4/ECS	EZ-Ject Multi-Dose Universal Cartridge	25 lbs/12 tons
GS-2/ECS	GLO-STICK Single-Dose Universal Capsule	5 - 9.9 lbs.
GS-3/ECS	GLO-STICK Universal Dye Capsule	10 - 25 lbs.

GLO-STICK® capsules are mess-free and single-dose. Add refrigerant & fluorescent dye in one step.



DIVERSITECH

Item #	Description	Size
RLF-8	Radiant Leak Finder	8 oz.

RLF-8 comes with a dab-applicator. Radiant color and viscous clinging formula exposes the smallest leaks. Freeze protected remains effective down to 0 degree F.

TRANE Supply

Item #	Description	Size
LEK027732	Spray Leak Reactant	32 oz.
LEK027701	Spray Leak Reactant	1 gal.

Leak Reactant provides a quick and easy way to pinpoint gas leaks from any pressurized gas system. Thick, tacky fluid clings to surfaces - even the underside of pipes, and instantly produces an easy to see, long lasting stream of bubbles.



Refrigerant Leak Sealant

DIVERSITECH

Item #	Description
985	Flex Injet Sealant Advanced
995	Flex Injet Sealant Total
992	Boost Juice Injet

Flex Injet Sealant Advanced & Total are the fastest, most effective proven way to permanently seal and prevent minor air conditioning and refrigeration (AC/R) leaks. With no tools or gauges required, the Flex Injet sealant works by traveling through the system with the oil and refrigerant fixing leaks immediately.



Nu-Calgon

Item #	Vendor #	EasySeal Description	Treats
CHM00814	4050-06	AC EasySeal 3oz. Pressurized Can	1.5 - 5.0 Tons
CHM00825	4050-01	AC EasySeal SS 1.25oz. Pressurized Can	1.5 Tons and Less
HSE01610	4051-99	EasySeal Piercing Valve & Hose	Kit
CHM00813	4050-02	AC EasySeal 2+1 Kit (2 cans + valve/hose)	Kit

A/C EasySeal is designed to prevent as well as repair leaks anywhere in the system. It is easily injected into the system, traveling with the refrigerant, searching for leaks. The fact that it travels with the refrigerant allows it to find leaks faster, using less sealant than those sealants designed to mix with the systems oil.



Item #	Vendor #	EasySeal Direct Inject Description	Treats
CHM01403	4050-08	EasySeal Direct Inject	1.5 - 5.0 Tons
TOL04933	4050-11	UV EasySeal Direct Inject	1.5 - 5.0 Tons
CHM01474	4050-12	UV EasySeal Direct Inject - 6pk.	1.5 - 5.0 Tons

With **EasySeal Direct Inject** pumping down the unit is a thing of the past. And now the industry's leading refrigeration sealant has been combined with UV leak detection dye to give you EasySeal Direct Inject-UV. This product is designed to seal leaks and also show where larger leaks are.



COOLAIR
PRODUCTS

Item #	Description
210	AC/SmartSeal External

AC/SMART SEAL EXTERNAL™ can be easily mixed by using two fingers. Once applied, the leak is closed. It is ideal for emergency sealing and does not disperse any residue into the system and, if necessary, it can be easily removed and once dried, the product can be sanded and refinished.



RECTORSEAL

Item #	Description	Treats
00280	AC Leak Freeze Cartridge	1 - 6 Tons
00282	AC Leak Freeze + Magic Frost Lubricant Cartridge	1 - 6 Tons
00284	AC Leak Freeze Cartridge w/ Reusable Adapter	1 - 6 Tons
00286	AC Leak Freeze + Magic Frost w/ Reusable Adapter	1 - 6 Tons
00292	1/4" Reusable Adapter Hose	

AC Leak Freeze is inert until it mixes with any refrigeration gas. AC Leak Freeze is activated by refrigerant escaping at the site of the leak — forming a chemical weld and repairing the system.

A/C Leak Freeze with Magic Frost stops leaks, lubricates the A/C system, enhances cooling efficiencies, extends compressor life and is ideal for A/C systems 2 years and older.



SPECTROLINE®

Item #	Kits & Accessories
CS-100CS	EZ-Ject™ Cool Sealer Injection Kit
BV-50	Bleed Valve for GLO-STICK Capsules

EZ-Ject™ cartridges are versatile, and multi-dose. The injector easily overcomes system pressure. Add fluorescent dye with system off or running. Works in all systems, including high-pressure R-410a.



Item #	Cartridges & Capsules	Treats
CS-1CS	Cool Seal™ EZ-Ject™ cartridge	Up to 2 Tons
CS-3CS	GLO-STICK Cool Seal Capsule	Up to 2 Tons

GLO-STICK® capsules are mess-free and single-dose. Add refrigerant & fluorescent dye in one step.



Acid & Burnout Chemicals

Item #	Acid Test Kits
QT2000	Quick Check 2 Second Acid Test
KIT06815	Universal Acid Alert Test
RK1349.S1.USA	Acid-Test Kit

QT2000 Detects inorganic acid in 2-seconds down to 1 part per million. Unique patented disposable design.

KIT02815 provides a reliable indication of the acid level. Phase separation of the chemicals eliminates interference from discolored oil.



Item #	Acid Neutralizers
45004	Rectorseal Acid Away Kit - Mineral Oil
45009	Rectorseal Acid Away Kit - POE Oil
CHM0041:	4301-02 Rx Acid Scavenger
TR1175AL0152.USS	No-Acid Ultra

Acid-Away® circulates quickly throughout the system and chemically neutralizes acids that are always left in an air conditioning or refrigeration system after a burnout occurs.

Rx-Acid Scavenger is formulated for use with all lubricants - mineral, alkylbenzene and polyolester.



SPECTROLINE®

Item #	Kits & Accessories
AB-100CS	Acid Buster™ Scavenging Injection Kit
AB-5CS	Acid Buster™ EZ-Ject™ cartridge

Acid Buster™ is formulated for use with all lubricants - mineral, alkylbenzene and polyolester. Direct, reusable injector eliminates the need for an oil pump. Works with the same injector tool as the rest of the Spectroline EZ-Ject platform.



System Flushing Products

Nu-Calgon

Item #	Vendor #	Description	Size
CHM00510	4300-09	Rx11 Flush	16 oz.
CHM00410	4300-11	Rx11 Flush	32 oz.
CHM00826	4300-08	Starter Kit - Hose / Gun / Valve / Can	16 oz.
CHM00997	4300-30	Non-Pressurized Liquid Flush	19.5 oz.

Item #	Vendor #	Accessory Description
TOL03326	4300-51	Rx11 Flush Gun Nozzle
HSE01611	4300-52	Rx11 Flush Hose
TOL02895	4300-50	Rx11 Line Set Cone Flush Tool
TOL03481	4300-89	4300-89 Rx11 Injection Valve



Rx11-flush is ozone-safe, non-toxic, and non-flammable. Used exactly like the old R-11 flushing process, it is powerful enough to flush away sludge, carbon residues, oils, acids, water and other particulate. Rx11-flush is ideal for system flushing after burnouts, during retrofits and for flushing line sets.

DiversiTech

Item #	Description	Size
PF-KIT	Pro-Flush Kit	Kit
PF-16	Pro-Flush Flushing Solvent	16 oz.

Pro-Flush is a flushing solvent for air conditioning and refrigeration systems, and is formulated for R-410A retrofits, refrigerant conversions and compressor burnouts. Pro-Flush is compatible with all refrigerants and compressor oils.

Benefits of a Non-Pressurized Reusable Tank:

- The reusable tank lowers cost since you only need to buy the Pro-Flush™ refill cans.
- Pre-charged cans include refrigerant propellants which are more expensive to use than nitrogen.
- The trigger assembly allows for infinite control of dosage insuring more economical use of the solvent.
- Using nitrogen as the propellant is less expensive and more environmentally friendly than using HFC-134A.



CLIGHT

Item #	Description	Size
981	Super Change - Up To 6 Tons	2 oz.

Super Change™ is the fast and easy way to complete an R22 system retrofit. It creates a strong compatibility link between all oils to any HFC refrigerants, including POE-based R407C & R410A – eliminating compressor downtime and line set flush.



dynesic

Item #	Description	Coverage
2000-1PG	PanSeal Gallons	160 Sq. Ft @ 10mils.
2000-PC	PanSeal Cartridges	6 Sq. Ft @ 15mils.

- Works in standing water
- No surface preparation required
- Seals leaks immediately
- Works on both metal and plastic pans
- No system down time



Nu-Calgon

Vendor #	Description
4296-50	Nu-Calgon White Pan Spray
4296-51	Nu-Calgon Black Pan Spray

Pan-Spray is an effective, easy-to-use water proof rubberized coating that won't chip, flake, or peel. It's ideal for sealing out rust and corrosion as well as repairing leaky condensate pans, cooling towers, swamp coolers, roofing, gutters, and down spouts.

Ice Machine Chemicals

Item #	Vendor #	Description	Size
CHM00379	4211-34	Nu-Calgon IMS-III Ice Machine Sanitizer	16 oz.
CHM00390	4287-34	Nu-Calgon Nickel Safe Ice Machine Cleaner	16 oz.
IMC025301		Trane Nickel Safe Ice Machine Cleaner	1 gal.

IMS-III sanitizes ice machines, ice cream dispensing equipment and other food processing equipment. No rinsing is necessary; Air dry and continue.

Nickel-Safe Ice Machine Cleaner is a food-grade product for removing scale deposits from ice makers having nickel-plated or tin-plated evaporators.



Descaling Chemicals



Item #	Description	Size
CHM00544	Rydlyme Descaler Small	1 gal.
CHM00545	Rydlyme Descaler Medium	5 gal.
CHM00546	Rydlyme Descaler Large	30 gal.
CHM00547	Rydlyme Descaler XL	55 gal.

RYDLYME is specifically designed to dissolve the toughest water scale, lime, mud, and rust deposits from virtually any piece of water based equipment. This powerful, yet totally safe, liquid is non-toxic, non-flammable, non-hazardous, non-corrosive and biodegradable; so RYDLYME will not harm your personnel, equipment or our environment.



Trane Supply

Item #	Description	Size
SCL025001	Trane Descaler Acid	1 gal.

This Premium low foaming descaler is perfect for maintaining cooling towers and water cooled systems.



Refrigeration Oils & Additives



Mineral Oil - For use with CFC & HCFC Refrigerants

Mineral oil is specially recommended for lubrication of compressors containing ammonia, R-11, 12, 13, 22, 113, 114, 123, 500 and 502. Do not use with HFC refrigerants such as R-134A.

Item #	Viscosity	Replaces	Size
MIN15001	150 SUS	3GS	1 gal.
MIN30001	300 SUS	3GS & 4GS	1 gal.



OEM Mineral Oil - CFC & HCFC Refrigerants

Item #	Description	Viscosity	Size
OIL00042	Oil w/ Lubricity Additive	150 SUS	1 gal.
OIL00015	OEM Formula Compressor Oil	300 SUS	1 gal.
OIL00031	Oil w/ Wear Additive	300 SUS	1 gal.
OIL00045	Oil w/ Lubricity Additive	300 SUS	1 gal.
OIL00022	White Mineral Centrifugal Oil	300 SUS	2.5 gal.



POE Oil - For use with HFC Refrigerants

POE oil is recommended for lubrication of compressors containing R-134a, R-404A, R-507, R-407C, R-32, and R-410A.

Item #	Viscosity	Size
OIL00078	Grade 32	1 qt.
OIL00080	Grade 32	1 gal.
OIL00094	Grade 68	1 qt.
OIL00048	Grade 68	1 gal.



Oil Additives



Item #	Description	Size
CHM01005	MJ-X Additive - for Clearing Valves & Orifices	4 oz.



Item #	Description	Size
CHM00834	Additive/Lubricant for R-22 / R-407C / R-410A	4 oz.



Vacuum Pump Oil



Fieldpiece Vacuum Pump Oil

Item#	Description	Size
OIL8X3	Individual Oil Bottles	8oz - 3 Pack
OIL128	Vacuum Pump Oil	1 Gallon
OIL32	Vacuum Pump Oil	1 Quart



Appion Premium Synthetic Blend improves vacuum pump performance and provides greater protection to internal pump components. It also reduces overall oil consumption and cost - lasts up to 8 times longer than mineral oil.

Item	Description	Size
TZM1PK	Pre-Charged Micron-Dry Cartridge	1 pk.
TZMGLN	Micron-Dry Vacuum Pump Oil	1 gal.



Chemical Stocking Guide

BOLAND
Supply

Glycol



Item #	Description	Mix	Size
EG-55	ProTek Inhibited Ethylene Glycol	95/5	55 gal.
PG-PLUS-55	ProTek Inhibited Propylene Glycol	95/5	55 gal.



Glycol-water mixtures are commonly used to provide freeze protection in HVAC closed loop heating and cooling systems. Glycol is also regularly used to allow low temperature operation in thermal energy storage systems, where ice is made at night and used the next day to cool the building.

Sealants

BOSS

Item #	Description
12522	Multi-Seal Construction Sealant
31520	100% RTV Silicone Clear
31580	100% RTV Silicone Clear - Pressure Can
37610	Hi-Temp Silicone Red
37608	Hi-Temp Silicone Red - Pressure Can
37000	HVAC Silicone Sealant - Clear
37001	HVAC Silicone Sealant - White
37008	HVAC Silicone - Clear - Pressure Can
37081	HVAC Silicone - White - Pressure Can



Thread & Gasket Solutions

LOCTITE

Item #	Gasket Material / Flange Sealant	Size
SEL00922	LOCTITE® 515™ Gasket Eliminator	50ml
SEL00376	LOCTITE® 515™ Gasket Eliminator	300ml



Item #	Threadlocker	Size
SEL00490	LOCTITE® 242™ Blue Liquid Threadlocker	1.3 oz.



Item #	Gasket Remover	Size
SOV00004	LOCTITE® SF790 Chisel Gasket Remover	18 oz.



Fire Block/Stop

Item #	Description
13605	Fire Block/Draft Stop Sealant
35003	Flame Retardent Duct Sealant - Grey
76010	Silicone Fire Stop Sealant - Red
81221	Fire Block Foam with Genius Gun - Red
81610	Intumescent Fire Stop Sealant - Red



Lubricants, Cleaners & Degreasers

Item #	Description	Size
SL3190	STA-PLEX Premium Red Grease Cartridge	14 oz.
41160	Super Lube Canister	14.1 oz.
21030	Super Lube Tube	3 oz.
31110	Super Lube Spray	11 oz.



Industrial Degreasers

Item #	Description	Size
SLV051201	Trane E-Solv Degreasing Solvent Chemical	1 gal.
SOV00045	4083-75 Nu-Calgon Degreasing Solvent EF Aerosol	17 oz.
SOV00046	4162-07 Nu-Calgon Degreasing Solvent EF	1 gal.

Trane E-SOLV cleans electric motors, machined parts, coils, breakers, and other components. It is a safer alternative to chlorinated solvents.

Nu-Calgon Solvent EF is an ozone-safe, environmentally friendly, volatile solvent. It provides effective cleaning and controlled drying with no residue. Dielectric strength of over 26,000v.



Penetrants and Lubricants

Item #	Description	Size
CO-1	Pull-a-Spout Oilier	4 oz.
CR-1	Rust Breaker	4 oz.
WD40	WD40 Can	11 oz.



Item #	Description	Size
LUB00007	Loctite 76732 Silver Grade Anti-Seize	8 oz.



Miscellaneous Aerosols

OEM Touch-Up Paint

Item #	Description	Unit Info	Size
PAI00061	Commercial Executive Beige	CVHE, CVHF, CVHG, CVHH, CVHS, CVHF, RAUC, RTHA, RTHC	12 oz.
PAI00074	Residential Slate Gray	2-4TTB, 2-4TWB 2-4TTA, 2-4TWA, TCC, WCC, 2-4TCC, 2-4WCC, TWE	12 oz.
PAI00086	Commercial Slate Gray	YSC, TSC, WCS, TCD,	12 oz.
PAI00246	Residential Tarpaulin Gray	2TTZ, 4TTZ, 2TTX, 2TTR, 4TTR	12 oz.
PAI00248	Residential Anthracite Gray	GAM & TAM Air Handlers	12 oz.



Electrical Contact Cleaner

Item #	Description	Size
4082-03	Nu-Calgon Electrical Contact Cleaner	32 oz.

Electrical Contact Cleaner cleans, lubricates, and protects electrical contacts from corrosion, and is safe on most plastics. Cleaning action quickly removes greases, dust, and oxidation, restores and maintains precision and efficiency to the instrument and component. Includes extension tube for pinpointing application. USDA Approved.



Coil Coating Aerosols

Item #	Description	Size
CG-AER	Clear Coil-Guard w/ Blue Tint	19 oz.
CHM01441	4083-90 Nu-Calgon DuraCoil Coating	11 oz.

DuraCoil is a specially formulated coil and surface protectant for HVACR components. The product is an aerosol based, air-dry phenolic brown colored coating designed to extend the life of the coil or other system component in a corrosive environment.



Nu-Calgon - ClenAir

Item #	Description
61065	Mini Fresh for Mini-splits and PTAC

ClenAir MiniFresh is not a perfume mask or cover-up. The unique ClenAir formula molecularly reacts with the airborne odor-causing compounds and eliminates them and other indoor pollutants leaving clean, fresh, air behind. The patented MiniFresh makes it easy to remove odors and improve the indoor air quality in the entire home or building by treating the air through the HVAC system.



Wasp & Hornet Spray

Item #	Description	Size
CHM00305	Enforcer Knockdown Killer Spray	15 oz.

Instant knockdown formula kills wasps, hornets, yellow jackets on contact. Jet blast up to 22 feet lets you spray from a safe distance. Non-conductive up to 47,300 volts. Residual action kills wasps and hornets returning to the nest. For Outdoor use only.



Chemical Tools & Supplies

Condensate Line Cleanout Tools

Item #	Description
GG-1	Gallo Gun Condensate Line Drain Tool
GG-12	CO2 Cartridges for Gallo Gun - 12pk
GG-1A	Gallo Gun Nozzle Adapter Kit for PVC

The **Gallo Gun** is a lightweight (3 oz.) portable tool designed to blowout drain lines instantly. The cartridges now deliver 1200 PSI of oil-free CO2 to clear the line. Each unit comes equipped with a tapered fitting to work on 3/8" - 3/4" drain openings.



GG-1

Sprayers, Pumps & Foggers

Item #	Description
2603	3 Gallon Wand Sprayer



Item #	Description
DST00857	Nu-Calgon Coil Gun
4778-0	Nu-Calgon HVACR Power Sprayer
TOL00201	B&G 2600 Fogger Unit



DST00857



TOL00201

TOL00201 is fitted with a flexible hose and adjustable flow control, allowing users to control the quantity and direction of the output. This flow control provides adjustment of the discharge as a mist with flow rates between 0-540 ml per minute.

RectorSeal and Nu-Calgon Ductless Cleaning Tools

Item #	Vendor #	Description
82560	82560	Desolv Mini-Split Cleaning & Maintenance
4150-02	4150-02	Kit Mini-Split Maintenance Bag
4150-03	4150-03	Ceiling Cassette Maintenance Bag

- Kit Includes bib, adjustable mounting brackets, & 5-gallon bucket.
- Fits virtually any brand ductless fan unit up to 44" wide.
- Keeps walls and surroundings safe from water & chemicals.
- Quick to set up and easy to move from job-to-job.





TRANE®

GAITHERSBURG

30 West Watkins Mill Road
Suite 103
Gaithersburg, MD 20878

LARGO

9475 Lottsford Road
Suite 160
Largo, MD 20774

CHANTILLY

14920 Bogle Drive
Chantilly, VA 20151

www.boland.com